

JAN 29 2007

Appl. No. 10/856,920  
Summary of Examiner Interview  
17 January 2007

Page 1 of 2

**IN THE UNITED STATES  
PATENT AND TRADEMARK OFFICE**


Appl. No. : 10/526,920  
Applicant(s) : David A.C.M. Roovers et al.  
Filed : 8 March 2005  
TC/A.U. : 2615  
Examiner : Lun S. LAO  
Atty. Docket : NL-020831

**CERTIFICATE OF MAILING OR  
TRANSMISSION**

I certify that this correspondence is being:  
[ ] deposited with the U.S. Postal Service  
with sufficient postage as first-class mail in  
an envelope addressed to the Commissioner  
for Patents, P.O. Box 1450, Alexandria, VA  
22313-1450.

[ X ] transmitted by facsimile to the U.S.  
Patent and Trademark Office at (571) 273-  
8300

On: 29 January 2007

By: 

Title: CALIBRATING A FIRST AND A SECOND  
MICROPHONE

**SUMMARY OF EXAMINER INTERVIEW**

U.S. Patent and Trademark Office  
Customer Window, Mail Stop **Amendment**  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

Applicants wish to make of record two brief telephone conversations conducted on 17 January 2007 between the undersigned attorney, and Examiner Lao and Supervisory Examiner Chin, respectively, regarding the above-referenced U.S. patent application. The undersigned attorney pointed out that the wrong specification, claims and drawings had been scanned into the file at the USPTO, and then examined in the Office Action dated 20 October 2006. Accordingly, the Supervisory Examiner indicated to the undersigned attorney that the pending Office Action would be withdrawn, the correct application papers would be scanned, and a new examination would be made of the application, based on the correct specification, claims and drawings.

**CONCLUSION**


In view of the foregoing, Applicants respectfully request that the Examiner

Atty. Docket No. NL-020831

Page 2 of 2

Appl. No. 10/856,920  
Summary of Examiner Interview  
17 January 2007

withdraw the pending Office Action, allow claims 1-12 and pass the application to issue.

  
Eric M. Bram  
Reg. 37,285  
Att'y for Applicant(s)  
Philips Intellectual Property  
& Standards

P.O. Box 3001  
Briarcliff Manor, NY 10510-8001  
Phone: (914) 333-9635  
Fax: (914) 332-0615

Atty. Docket No. NL-020831